



38 Super Auto +P

.355"	9mm TMJ® RN	9mm GDHP	9mm GDHP	9mm TMJ® FN
Weight (grains)	124	124	125	125
Ballistic Coefficient	0.159	0.134	0.141	0.147
Sectional Density	0.141	0.141	0.142	0.142
COAL Tested	1.280"	1.260"	1.260"	1.260"
Speer Part No.	3993	3998	4360	4362

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Blue Dot	Winchester	CCI 500	8.3	1182	9.2	1312
Alliant Herco	Winchester	CCI 500	6.7	1176	7.3	1272
Accurate No. 9	Winchester	CCI 500	11.0	1187	12.0 C	1267
Hodgdon HS-6	Winchester	CCI 500	7.5	1134	8.3	1245
Accurate No. 5	Winchester	CCI 500	7.2	1102	8.0	1213
Alliant Unique	Winchester	CCI 500	5.6	1127	6.2	1208
Hodgdon H. Universal	Winchester	CCI 500	5.3	1078	5.9	1202
Vihavuori 3N37	Winchester	CCI 500	6.4	1092	7.1	1198
Winchester WSF	Winchester	CCI 500	5.6	1057	6.1	1184
Accurate No. 7	Winchester	CCI 500	9.0	1058	9.9	1169
Alliant Bullseye	Winchester	CCI 500	4.7	1073	5.2	1158
Accurate No. 2 Improved	Winchester	CCI 500	5.3	1079	5.8	1135
Hodgdon Hi-Skor 700-X	Winchester	CCI 500	4.5	1050	5.0	1132
Alliant Green Dot	Winchester	CCI 500	4.8	1051	5.3	1125
Winchester 231	Winchester	CCI 500	4.8	1021	5.3	1117
Alliant Red Dot	Winchester	CCI 500	4.3	1027	4.8	1086

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load