



## 9mm Luger

.355"	9mm GDHP	9mm TMJ® FN
Weight (grains)	147	147
Ballistic Coefficient	0.164	0.188
Sectional Density	0.167	0.167
COAL Tested	1.130"	1.130"
Speer Part No.	4002	4006

**NOTE:** 147-grain bullets not recommended for barrels longer than 10 inches.

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant BE 86	Federal	Federal 100	4.5	936	5.1	1027
Alliant Blue Dot	Speer	CCI 500	5.1	900	5.8	1001
Winchester AutoComp	Federal	Federal 100	4.3	906	4.8	993
Hodgdon CFE Pistol	Federal	Federal 100	4.1	897	4.6	980
Alliant Power Pistol	Speer	CCI 500	4.5	872	5.0	975
Vihtavuori 3N37	Speer	CCI 500	4.4	886	4.9	969
Accurate No. 7	Speer	CCI 500	6.1	867	6.8	961
IMR SR 4756	Speer	CCI 500	4.2	841	4.6	957
Hodgdon HS-6	Speer	CCI 500	5.0	845	5.5	956
Alliant Unique	Speer	CCI 500	3.8	852	4.3	954
Winchester WSF	Speer	CCI 500	3.6	840	4.1	931
Accurate No. 5	Speer	CCI 500	4.5	821	5.1	931
Alliant Sport Pistol	Federal	Federal 100	3.2	820	3.6	890

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*