



## 30-30 Winchester

<b>.308"</b>	<b>30</b>
	<b>SPFN Hot-Cor®</b>
<b>Weight (grains)</b>	130
<b>Ballistic Coefficient</b>	0.312
<b>Sectional Density</b>	0.196
<b>COAL Tested</b>	2.550"
<b>Speer Part No.</b>	2007

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Hodgdon CFE 223	Federal	Federal 210	38.1	2428	<b>42.0 C</b>	2643
Alliant AR-Comp	Federal	Federal 210	32.5	2365	<b>36.1 C</b>	2601
Alliant Power Pro Varmint	Federal	Federal 210	32.9	2364	<b>35.7</b>	2516
Accurate 2520	Winchester	CCI 250	31.0	2092	<b>35.0C</b>	2481
Accurate 2460	Winchester	CCI 250	30.0	2111	<b>34.0</b>	2472
Alliant Reloder 7	Winchester	CCI 200	27.0	2133	<b>31.0</b>	2438
Hodgdon H322	Winchester	CCI 200	29.0	2058	<b>33.0</b>	2410
Hodgdon Varget	Winchester	CCI 200	31.0	2006	<b>35.0</b>	2332
Alliant Reloder 10X	Winchester	CCI 200	26.5	2061	<b>30.5</b>	2310
Alliant Reloder 15	Winchester	CCI 200	32.0	1960	<b>36.0 C</b>	2295
Vihtavuori N140	Winchester	CCI 200	31.0	1982	<b>35.0 C</b>	2293
Winchester 748	Winchester	CCI 250	31.2	1878	<b>35.5</b>	2255
IMR 4895	Winchester	CCI 200	28.0	1869	<b>32.0</b>	2162
IMR 4064	Winchester	CCI 200	29.0	1763	<b>33.0</b>	2091

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*