



338 Lapua Magnum

.338"	338
	Spitzer SP Hot-Cor®
Weight (grains)	200
Ballistic Coefficient	0.426
Sectional Density	0.250
COAL Tested	3.530"
Speer Part No.	2405

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Reloder 33	Lapua	Federal 215	101.0	2936	111.5 C	3225
Ramshot Hunter	Lapua	Federal 215	95.0	2943	105.2	3223
Alliant Reloder 26	Lapua	Federal 215	85.2	2951	94.4	3197
Hodgdon Retumbo	Lapua	Federal 215	93.1	2930	103.3 C	3195
IMR 7828	Lapua	Federal 215	85.0	2873	94.8	3165
Alliant Reloder 25	Lapua	Federal 215	87.7	2899	97.3	3156
Alliant Reloder 23	Lapua	Federal 215	83.8	2889	92.8	3152
Hodgdon H1000	Lapua	Federal 215	90.5	2895	100.7	3151
Vihtavuori N560	Lapua	Federal 215	82.7	2903	92.0	3144
Alliant Reloder 22	Lapua	Federal 215	80.1	2902	88.9	3131
IMR 7977	Lapua	Federal 215	90.0	2803	99.7	3117

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load