



speer
bullets

338 Lapua Magnum

.338"	338
	Grand Slam®
	SP/CANN
Weight (grains)	250
Ballistic Coefficient	0.436
Sectional Density	0.313
COAL Tested	3.510"
Speer Part No.	2408

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Reloder 33	Lapua	Federal 215	93.6	2726	102.7 C	2926
Ramshot Magnum	Lapua	Federal 215	89.2	2643	98.2	2888
Hodgdon Retumbo	Lapua	Federal 215	87.0	2664	95.0	2877
Alliant Reloder 26	Lapua	Federal 215	81.0	2673	88.5	2876
Alliant Reloder 25	Lapua	Federal 215	82.0	2660	90.4	2847
Hodgdon H1000	Lapua	Federal 215	85.0	2627	93.5	2841
Alliant Reloder 22	Lapua	Federal 215	77.4	2641	84.0	2811
IMR 7828	Lapua	Federal 215	78.2	2628	85.0	2811
Alliant Reloder 23	Lapua	Federal 215	78.0	2606	85.5	2809

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load