



7mm Weatherby Magnum

.284"	7mm Spitzer BTSP	7mm Spitzer SP Hot-Cor®	7mm Grand Slam® SP/CANN
Weight (grains)	145	145	145
Ballistic Coefficient	0.472	0.416	0.353
Sectional Density	0.257	0.257	0.257
COAL Tested	3.350"	3.350"	3.290"
Speer Part No.	1628	1629	1632

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Reloder 22	Federal	Federal 215	67.0	2960	71.0	3177
Vihtavuori N560	Federal	Federal 215	67.5	2964	71.5	3167
Ramshot Magnum	Federal	Federal 215	73.0	2989	77.0	3139
IMR 4831	Federal	Federal 215	63.0	2948	67.0	3134
Alliant Reloder 19	Federal	Federal 215	65.0	2944	69.0	3133
IMR 4350	Federal	Federal 215	62.0	2913	66.0	3117
Accurate 3100	Federal	Federal 215	64.0	2927	68.0	3105
Hodgdon H4831SC	Federal	Federal 215	66.5	2931	70.5	3096
Alliant Reloder 15	Federal	Federal 215	52.0	2811	56.0	2940

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load