



7mm Winchester Short Magnum

.284"	7mm Spitzer BTSP	7mm Spitzer SP Hot-Cor®	7mm Grand Slam® SP/CANN
Weight (grains)	160	160	160
Ballistic Coefficient	0.519	0.504	0.389
Sectional Density	0.283	0.283	0.283
COAL Tested	2.820"	2.820"	2.800"
Speer Part No.	1634	1635	1638

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Reloder 25	Winchester	CCI 200	66.0	2963	70.0	3090
IMR 7828	Winchester	CCI 200	61.0	2881	65.0	2958
Alliant Reloder 19	Winchester	CCI 200	59.0	2797	63.0	2956
Alliant Reloder 26	Federal	Federal 215	54.9	2729	60.9	2949
IMR 7977	Federal	Federal 215	60.4	2688	66.7 C	2946
Alliant Reloder 22	Winchester	CCI 200	59.0	2780	63.0	2936
IMR 4831	Winchester	CCI 200	55.0	2677	59.0	2926
Alliant Reloder 17	Federal	Federal 215	51.4	2697	57.1	2916
Alliant Reloder 23	Federal	Federal 215	54.1	2693	60.2	2909
Alliant Power Pro 4000-MR	Federal	Federal 215	53.7	2713	58.9	2909
Accurate 3100	Winchester	CCI 200	60.0	2763	64.0	2893
Hodgdon H4831SC	Winchester	CCI 200	57.0	2692	61.0	2890
IMR 4350	Winchester	CCI 200	53.0	2630	57.0	2866
Alliant Reloder 16	Federal	Federal 215	48.8	2626	54.1	2812

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load