



8mm-06

.323"

8mm
Spitz SP Hot-Cor®

Weight (grains)	150
Ballistic Coefficient	0.343
Sectional Density	0.205
COAL Tested	3.250"
Speer Part No.	2277

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Hodgdon BL-C(2)	Winchester (reformed 30-06)	CCI 250	49.0	2509	53.0	2981
IMR 4064	Winchester (reformed 30-06)	CCI 200	51.0	2585	55.0 C	2881
IMR 4320	Winchester (reformed 30-06)	CCI 200	50.0	2614	54.0	2849
Hodgdon H380	Winchester (reformed 30-06)	CCI 250	55.0	2662	59.0 C	2844
Winchester 760	Winchester (reformed 30-06)	CCI 250	58.0	2581	62.0	2826
IMR 3031	Winchester (reformed 30-06)	CCI 200	48.0	2482	52.0 C	2806
Winchester 748	Winchester (reformed 30-06)	CCI 250	51.0	2552	55.0	2795
IMR 4895	Winchester (reformed 30-06)	CCI 200	48.0	2523	52.0	2786
IMR 4350	Winchester (reformed 30-06)	CCI 200	55.0	2463	59.0 C	2677
IMR 4831	Winchester (reformed 30-06)	CCI 200	56.0	2455	60.0 C	2573

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load