



38 Super Auto +P

.355"	9mm GDHP	9mm TMJ® FN
Weight (grains)	147	147
Ballistic Coefficient	0.164	0.188
Sectional Density	0.167	0.167
COAL Tested	1.275"	1.275"
Speer Part No.	4002	4006

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Accurate No. 9	Winchester	CCI 500	9.5	1021	10.5	1122
Alliant 2400	Winchester	CCI 500	8.5	960	9.5	1099
Vihtavuori 3N37	Winchester	CCI 500	5.2	979	6.2	1081
Hodgdon H. Universal	Winchester	CCI 500	4.7	961	5.2	1065
Accurate No. 7	Winchester	CCI 500	7.4	914	8.2	1061
Hodgdon HS-6	Winchester	CCI 500	6.4	948	7.1	1048
Alliant Unique	Winchester	CCI 500	4.9	984	5.4	1043
Alliant Bullseye	Winchester	CCI 500	4.2	958	4.6	1041
Winchester WSF	Winchester	CCI 500	4.8	938	5.3	1029
Accurate No. 2 Improved	Winchester	CCI 500	4.6	941	5.1	1021
Winchester 231	Winchester	CCI 500	4.3	899	4.8	1008
Accurate No. 5	Winchester	CCI 500	5.8	910	6.4	1004
Hodgdon HP-38	Winchester	CCI 500	4.3	919	4.8	992

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load