



45 Automatic

.451"	45 GDHP SB	45 GDHP
Weight (grains)	230	230
Ballistic Coefficient	0.148	0.143
Sectional Density	0.162	0.162
COAL Tested	1.200"	1.200"
Speer Part No.	4482	4483

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Blue Dot	Federal	Federal 150	8.1	822	9.0	957
Accurate No. 7	Federal	Federal 150	8.6	842	9.6	955
Hodgdon HS-6	Federal	Federal 150	7.2	816	8.0	945
Alliant Power Pistol	Federal	Federal 150	6.3	800	7.4	943
Hodgdon CFE Pistol	Federal	Federal 150	6.0	820	6.9	940
Vihtavuori N350	Federal	Federal 150	6.3	821	7.1	939
Winchester AutoComp	Federal	Federal 150	6.0	828	6.8	930
Alliant BE-86	Federal	Federal 150	5.6	787	6.7	923
Hodgdon H. Universal	Federal	Federal 150	5.4	823	6.0	917
Alliant Unique	Federal	Federal 150	5.4	835	6.0	912
Accurate No. 5	Federal	Federal 150	7.0	811	7.8	906
IMR SR 7625	Federal	Federal 150	5.4	810	6.0	888
Vihtavuori N340	Federal	Federal 150	5.4	754	6.1	870
Hodgdon Hi-Skor 700-X	Federal	Federal 150	4.5	786	5.0	860
Winchester 231	Federal	Federal 150	5.0	774	5.6	859
Alliant Sport Pistol	Federal	Federal 150	4.6	769	5.2	852
Alliant Bullseye	Federal	Federal 150	4.5	763	5.0	846

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load