



## 9x18 Makarov

<b>.964"</b>	<b>9mm Mak</b>
	<b>TMJ® RN</b>
<b>Weight (grains)</b>	95
<b>Ballistic Coefficient</b>	0.127
<b>Sectional Density</b>	0.102
<b>COAL Tested</b>	0.980"
<b>Speer Part No.</b>	4375

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
<b>Accurate No. 5</b>	Starline	CCI 500	5.6	891	<b>6.3</b>	1068
<b>Accurate No. 2 Improved</b>	Starline	CCI 500	3.9	936	<b>4.4</b>	1042
<b>Accurate No. 7</b>	Starline	CCI 500	7.0	912	<b>7.8</b>	1038
<b>Winchester 231</b>	Starline	CCI 500	3.9	911	<b>4.4</b>	1029
<b>Hodgdon HS-6</b>	Starline	CCI 500	5.6	828	<b>6.3</b>	1010
<b>Alliant Bullseye</b>	Starline	CCI 500	3.5	896	<b>3.9</b>	1010
<b>Vihtavuori N330</b>	Starline	CCI 500	4.0	841	<b>4.5</b>	966
<b>Hodgdon H. Universal</b>	Starline	CCI 500	4.0	774	<b>4.5</b>	965
<b>Vihtavuori N320</b>	Starline	CCI 500	3.3	832	<b>3.7</b>	963

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*