



## 223 Winchester Supper Short Magnum

<b>.224"</b>	<b>22 Semi-Spitzer SP</b>
<b>Weight (grains)</b>	70
<b>Ballistic Coefficient</b>	0.219
<b>Sectional Density</b>	0.199
<b>COAL Tested</b>	2.080"
<b>Speer Part No.</b>	1053

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Power Pro 4000-MR	Winchester	Federal 210	41.0	3313	45.3	3574
Alliant Reloder 23	Winchester	Federal 210	42.0	3282	46.4 C	3566
Alliant Reloder 16	Winchester	Federal 210	38.5	3261	42.7	3539
Alliant Reloder 17	Winchester	Federal 210	37.3	3245	41.5	3527
Alliant Reloder 22	Winchester	Federal 210	45.5	3407	47.5	3523
Vihtavuori N560	Winchester	Federal 210	45.0	3358	47.0	3495
Accurate MagPro	Winchester	Federal 215	48.0	3329	50.0	3489
Alliant Reloder 19	Winchester	Federal 210	43.5	3361	45.5	3478
Hodgdon H4831SC	Winchester	Federal 210	41.0	3332	43.1	3440
Hodgdon H414	Winchester	Federal 215	40.0	3308	42.0	3432
Winchester 760	Winchester	Federal 215	40.5	3307	42.5	3424
IMR 4350	Winchester	Federal 210	40.0	3282	42.0	3412
Hodgdon H4350	Winchester	Federal 210	39.0	3282	41.0	3397
Ramshot Big Game	Winchester	Federal 215	39.0	3252	41.0	3383
Accurate 4350	Winchester	Federal 210	40.5	3260	42.5	3382

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*