



## 6mm Remington

<b>.243"</b>	<b>6mm</b>
	<b>Spitzer BTSP</b>
<b>Weight (grains)</b>	100
<b>Ballistic Coefficient</b>	0.446
<b>Sectional Density</b>	0.242
<b>COAL Tested</b>	2.800"
<b>Speer Part No.</b>	1220

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Reloder 26	Federal	Federal 210	43.8	2883	<b>48.6 C</b>	3230
Alliant Reloder 16	Federal	Federal 210	39.4	2864	<b>43.5</b>	3147
IMR 4831	Remington	CCI 200	41.0	2831	<b>45.0</b>	3145
Alliant Reloder 17	Federal	Federal 210	39.1	2858	<b>43.2</b>	3139
Alliant Power Pro 4000-MR	Federal	Federal 210	40.0	2836	<b>44.5 C</b>	3145
IMR 7828	Remington	CCI 250	46.0	2814	<b>50.0</b>	3059
Accurate 4350	Remington	CCI 200	41.5	2622	<b>45.5</b>	2979
Alliant Reloder 22	Remington	CCI 200	43.0	2763	<b>47.0</b>	2971
Accurate 3100	Remington	CCI 200	43.0	2716	<b>47.0</b>	2952
IMR 7977	Federal	Federal 210	45.2	2744	<b>48.2 C</b>	2939
Hodgdon H4350	Remington	CCI 200	40.0	2570	<b>44.0</b>	2888
IMR 4350	Remington	CCI 200	39.0	2533	<b>43.0</b>	2846
Alliant Reloder 19	Remington	CCI 200	41.0	2608	<b>45.0</b>	2835
Winchester 760	Remington	CCI 250	37.0	2506	<b>41.0</b>	2754
Accurate 2700	Remington	CCI 250	36.0	2466	<b>40.0</b>	2710
IMR 4064	Remington	CCI 200	33.0	2478	<b>37.0</b>	2694
Hodgdon H380	Remington	CCI 250	35.0	2381	<b>39.0</b>	2616
Hodgdon H414	Remington	CCI 250	36.0	2353	<b>40.0</b>	2614
IMR 4198 (reduced load)	Remington	CCI 200	18.0	1725	<b>20.0</b>	1924

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*