



375 Ruger

.375"	375 Grand Slam® SP/CANN
Weight (grains)	285
Ballistic Coefficient	0.354
Sectional Density	0.29
COAL Tested	3.320"
Speer Part No.	2473

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Reloder 19	Hornady	CCI 250	82.2	2700	91.0 C	2946
Alliant Reloder 16	Hornady	CCI 250	77.1	2685	85.5 C	2916
Alliant Reloder 17	Hornady	CCI 250	76.0	2746	82.0 C	2893
Alliant Power Pro 4000-MR	Hornady	CCI 250	79.3	2664	88.0 C	2883
Hodgdon H4350	Hornady	CCI 250	77.8	2665	86.0 C	2881
Ramshot Big Game	Hornady	CCI 250	74.0	2648	82.2	2850
Alliant Power Pro 2000-MR	Hornady	CCI 250	69.5	2628	76.8	2817
Vihtavuori N160	Hornady	CCI 250	76.2	2588	84.6 C	2816
IMR 4451	Hornady	CCI 250	75.0	2558	83.2 C	2812
Alliant Reloder 15	Hornady	CCI 250	68.5	2575	76.0	2811
Winchester 760	Hornady	CCI 250	71.9	2611	79.6	2807
Alliant Power Pro Varmint	Hornady	CCI 250	65.6	2556	72.6	2754

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load