



7mm Remington Magnum

.284"	7mm Grand Slam® SP
Weight (grains)	175
Ballistic Coefficient	0.436
Sectional Density	0.310
COAL Tested	3.260"
Speer Part No.	1643

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Hodgdon H870	Remington	CCI 250	74.0	2790	78.0	2954
Alliant Reloder 33	Federal	Federal 215	70.2	2728	75.0 C	2889
Alliant Reloder 25	Remington	CCI 250	65.0	2792	67.0	2888
Ramshot Magnum	Federal	Federal 215	65.8	2753	69.6	2884
Hodgdon Retumbo	Federal	Federal 215	63.4	2636	69.3 C	2865
Alliant Reloder 22	Remington	CCI 250	57.0	2618	61.0	2830
IMR 4831	Remington	CCI 250	55.0	2641	59.0	2827
Alliant Reloder 26	Federal	Federal 215	59.4	2660	63.4	2824
Alliant Reloder 19	Remington	CCI 250	58.0	2604	62.0	2812
Alliant Reloder 23	Federal	Federal 215	55.5	2565	61.8	2803
IMR 7828	Federal	Federal 215	56.5	2611	62.5	2802
Alliant Power Pro 4000-MR	Federal	Federal 215	54.3	2556	60.3	2796
IMR 4350	Remington	CCI 250	52.0	2630	56.0	2789
Hodgdon H1000	Remington	CCI 250	61.0	2620	65.0	2782
Vihtavuori N165	Remington	CCI 250	58.0	2565	62.0	2742
Alliant Reloder 17	Federal	Federal 215	48.7	2535	53.7	2741
Hodgdon H4831SC	Remington	CCI 250	56.0	2588	60.0	2733
Accurate 8700	Remington	CCI 250	71.0	2639	75.0	2722
Accurate 4350	Remington	CCI 250	55.0	2547	59.0	2713
Hodgdon H4350	Remington	CCI 250	55.0	2546	59.0	2703
IMR SR 4759 (reduced load)	Remington	CCI 250	28.0	1831	32.0	2085

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load